

## Red eyes red flags







Pain

Vision reduced

Photophobia









Contact lens use

Recent ocular surgery

Trauma

Known inflammatory/ autoimmune condition

Differential diagnosis and key features of the acute unilateral red eye			
Diagnosis	Key features	Red Flags*	Refer
Sub-conjunctival haemorrhage	Painless, very red eye		If you have concerns
Conjunctivitis  • Bacterial	Discomfort, purulent discharge		If you have concerns
Allergic	Discomfort, itchy, watery discharge, mildly red eye		If you have concerns
Viral (eg adenovirus)	Discomfort, watery discharge (can have reduced vision and pseudomembrane formation)		If you have concerns
Uveitis	Moderate pain, photophobia, vision reduced, may have known autoimmune		Within 24 hours
Post operative endophthalmitis	Severe pain, photophobia, vision reduced		Immediately
Keratitis – bacterial/ fungal/herpetic	Moderate – severe pain, vision reduced, photophobia, corneal infiltrate, purulent discharge, stains with fluoroscein		Within 24 hours
Scleritis	Severe pain, vision reduced, very red "brawny" eye, may have known autoimmune		Within 24 hours
Acute glaucoma	Severe pain, loss of vison, fixed mid-dilated pupil		Immediately
Trauma	History of trauma including superficial foreign body, intraocular foreign body, chemical burn, blunt, penetrating		Immediately

© Insight Eye Surgery. All diagrams are licensed under Attribution 4.0 International (CC BY 4.0) You are free to copy and use diagrams with acknowledgment to Insight Eye Surgery and link to www.insighteyesurgery.com.au

Disclaimer: This guide does not provide medical advice. It is intended for educational purposes only. It is not a substitute for professional medical advice, diagnosis or treatment.

<sup>\*</sup> List these in the referral letter